

# PERGO®

ORIGINAL LAMINATE  
COLLECTIONS 2023-2024

FOR PARTNERS & PROFESSIONALS





## FLOORS FOR REAL LIFE

At Pergo we build strikingly beautiful, extremely hard-wearing floors. No shortcuts, no compromises, just the best in Scandinavian function, design and engineering. We invented laminate flooring and in fact, we've been innovating floors that have gone from strength to strength from the 1970's.

Floors that are easy to install and maintain. And with one of the widest ranges around in wood, vinyl and laminate, you're sure to find the perfect one for you.

Come in and look around.



# SENSATION FLOORS - NATURAL ON A WHOLE OTHER LEVEL

With Pergo Sensation laminate you wouldn't believe it's not wood. It's that feeling of natural beauty you get from authentic looking shades and grains together with a warm, matt finish. Add in more than natural protection and you have a floor that stands out for years to come.

## DEEPER, MORE AUTHENTIC STRUCTURES

As close as it gets to wood, with all the benefits of laminate – right down into the bevels – to give your home that real wood look. You could say the imperfect makes it perfect.

## BEVELLED EDGES AND MATT FINISH

Sensation floors come with bevels on all four sides of the planks. Those deep edges give that air of authentic beauty. Add a sophisticated matt finish and your floor looks as warm and pure as anything nature can produce.

When you want amazing-looking natural floors ask for Pergo Sensation laminates.



## AQUASAFE: BECAUSE LIFE'S TOO SHORT TO WORRY ABOUT WATER

All Pergo laminate floors have AquaSafe, our in-house developed technology that creates a sealed, 100% watertight\* surface all the way down into the bevels, preventing water from penetrating the floor. It simply stays on the surface and you can easily wipe it away.

\* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.



1. SUPERIOR WEAR AND SCRATCH RESISTANCE LAYER
2. EVERLASTING DECOR
3. HIGH-PERFORMING HDF CORE
4. BACK STABILISER



**SUPERIOR DURABILITY**  
For all-round domestic use and medium commercial use. Lifetime warranty.



**PRO: OUTSTANDING DURABILITY**  
For areas with heavy commercial use. Lifetime warranty.



**PRO X: EXTREME DURABILITY**  
For areas with very heavy commercial use. Lifetime warranty.

FEATURES		CLASS 32	CLASS 33	CLASS 34
TITANX™		•	•	•
SCRATCH RESISTANCE		high	very high	very high
AQUASAFE TECHNOLOGY*		•	•	•
PERFECTFOLD™		•	•	•
UNICLIC®		•	•	•
ANTISTATIC		•	•	•
HYGIENIC		•	•	•
Wood from sustainably managed forests, PEFC certified		•	•	•
Environmental Label Nordic Ecolabel and EU Ecolabel		•	•	•
RESIDENTIAL WARRANTY***		lifetime	lifetime	lifetime
TECHNICALS		STANDARD		
CLASS OF USE	EN 13329	32	33	34
FIRE CLASSIFICATION	EN 13501	Cfl-s1	Bfl-s1**	Bfl-s1
FORMALDEHYDE EMISSION	N 717	E1	E1	E1
VOC EMISSION	agBB/DIBt	•	•	•
GENERIC ANTI-MICROBIAL EFFECT	JIS Z 2801	> 99%	> 99%	> 99%
WEAR RESISTANCE	EN 13329	AC4	AC5	AC6
IMPACT RESISTANCE	EN 13329	small ball: ≥ 12 N big ball: ≥ 750 mm	small ball: ≥ 15 N big ball: ≥ 1000 mm	small ball: ≥ 20 N big ball: ≥ 1600 mm
RESISTANCE TO CASTOR CHAIR (WITH UNDERLAY)	EN 13329	no damage	no damage	no damage
SLIP RESISTANCE	EN 14041	class DS	class DS	class DS
THERMAL RESISTANCE	EN 12667	0,06 m <sup>2</sup> K/W	0,06 m <sup>2</sup> K/W	0,07 m <sup>2</sup> K/W
BODY VOLTAGE	EN 1815	< 2 kV (antistatic)	< 2 kV (antistatic)	< 2 kV (antistatic)

#### PERGO WARRANTY

The use of accessories other than genuine Pergo accessories can damage your Pergo floor. In this case, the warranty offered by Pergo will no longer be valid. We advise you to only use Pergo accessories that are specifically designed to use with Pergo floor panels.

\* available with a 15-year wet guarantee in Visby, Torekov, Trondheim, Narvik, Lillehammer and a 10-year wet guarantee in Roskilde and Perstorp.

\*\* applicable for Trondheim Pro, Roskilde Pro and Perstorp Pro.

\*\*\* if full installation instructions (please see [www.pergo.com](http://www.pergo.com)) are not followed, the warranty is void.

# OUR COLLECTIONS

Scandinavian never goes out of style. The same goes for functional design. Our complete range of Pergo laminates delivers just that. Whether you want the high-quality feel of Trondheim's long planks, the natural look of Lillehammer or the classic Perstorp that sets the standard for laminates, there's a floor to fill your every need.

And all of them are designed to be durable and watertight. So your kitchen, hallway, bedroom or living room is a pleasure to come home to. Always.

Transform the feeling of your entire room.  
Make it wider, narrower, longer, darker or lighter  
by the planks you use – the options are endless.



**TRONDHEIM**  
2050 × 211 mm



**TOREKOV**  
2050 × 240 mm



**LILLEHAMMER**  
1380 × 212 mm



**NARVIK**  
1380 × 190 mm



**VISBY**  
1380 × 190 mm



**ROSKILDE**  
1380 × 156 mm



**PERSTORP**  
1200 × 190 mm

		SENSA- TION	AQUA SAFE	BEVELS	WET WARRANTY	WARRANTY CLASS 32	WARRANTY CLASS 33	WARRANTY CLASS 34
<b>NEW TRONDHEIM</b>	2050 × 211 × 9,5 mm	•	•	4	15 years	lifetime	lifetime	
TOREKOV	2050 × 240 × 9,5 mm	•	•	4	15 years	lifetime	lifetime	
LILLEHAMMER	1380 × 212 × 9 mm	•	•	4	15 years	lifetime	lifetime	
NARVIK	1380 × 190 × 9 mm		•	4	15 years			lifetime
VISBY	1380 × 190 × 8 mm	•	•	4	15 years	lifetime	lifetime	
ROSKILDE	1380 × 156 × 8 mm		•	0	10 years	lifetime	lifetime	
PERSTORP	1200 × 190 × 8 mm		•	0	10 years	lifetime	lifetime	

## WHY PERGO LAMINATE FLOORS?



**RESISTANT TO SCRATCHES AND WEAR**  
Every plank is covered with our patented TitanX™ protection. Tough floors for the toughest families.



**EASY TO INSTALL**  
Just click into place with the glueless PerfectFold™ or Uniclic® click system.



**WATERTIGHT\* AND EASY TO CLEAN**  
AquaSafe technology keeps your floor hygienic and oh-so-simple to clean. And our floors come with a wet warranty up to 15 years\*\*.



**PERFECT FINISH**  
From faultless installation, to seamless finishing and worry-free maintenance of your beautiful new floor. Choose from the wide range of accessories.



**TRUE TO NATURE**  
All our laminate floors are incredibly true to nature. For an even more natural look & feel, look for our Sensation floors.



**LIFETIME WARRANTY\*\***  
All Pergo laminate floors have a lifetime warranty.



**RESISTANT TO COLOUR FADING**  
– so your floor keeps its colour year after year.

\* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.

\*\* For full warranty go to pergo.com.

# NEW TRONDHEIM



4-WAY BEVEL

length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
2050 mm	211 mm	9,5 mm	6	2,595 m <sup>2</sup>	44	114,180 m <sup>2</sup>



BLONDE OAK  
 ● PRO L0261-06398  
 ● L0361-06398



FRESH NORDIC OAK  
 ● PRO L0261-06399  
 ● L0361-06399



BEIGE OAK  
 ● PRO L0261-06400  
 ● L0361-06400



WARM NATURAL OAK  
 ● PRO L0261-06401  
 ● L0361-06401



BROWNEO OAK  
 ● PRO L0261-06402  
 ● L0361-06402



DARK MATURE OAK  
 ● PRO L0261-06403  
 ● L0361-06403



LIGHT GREY OAK  
 ● PRO L0261-06404  
 ● L0361-06404




LIGHT BEIGE OAK  
 ● PRO L0261-06405  
 ● L0361-06405



SPRING OAK  
 ● PRO L0261-06406  
 ● L0361-06406



MAROON OAK  
 ● PRO L0261-06407  
 ● L0361-06407



ROMANTIC LIGHT GREY OAK  
 ● PRO L0261-06408  
 ● L0361-06408



ROMANTIC GREY OAK  
 ● PRO L0261-06409  
 ● L0361-06409



ROMANTIC GREIGE OAK  
 ● PRO L0261-06410  
 ● L0361-06410




ROMANTIC NATURAL OAK  
 ● PRO L0261-06411  
 ● L0361-06411



# TRONDHEIM MATCHING ACCESSORIES



**STANDARD SKIRTING**



**5-IN-1 INCIZO® PROFILE**



**COMMERCIAL  
EXPANSION PROFILE**



**COLOURED SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x61-06398	06398	06398	06398	PGKIT02B
L0x61-06399	06399	06399	06399	PGKIT18B
L0x61-06400	06400	06400	06400	PGKIT10B
L0x61-06401	06401	06401	06401	PGKIT09B
L0x61-06402	06402	06402	06402	PBKIT17B
L0x61-06403	06403	06403	06403	PGKIT03B
L0x61-06404	06404	06404	06404	PGKIT18B
L0x61-06405	06405	06405	06405	PGKIT18B
L0x61-06406	06406	06406	06406	PGKIT18B
L0x61-06407	06407	06407	06407	PGKIT15B
L0x61-06408	06408	06408	06408	PGKIT01B
L0x61-06409	06409	06409	06409	PGKIT16B
L0x61-06410	06410	06410	06410	PGKIT18B
L0x61-06411	06411	06411	06411	PGKIT10B

**INCIZO® SUBPROFILE | NEINCPBASE6 | 2150 × 71 × 21 mm**  
The Incizo® subprofile is required for stair application  
and has to be ordered separately.

# TOREKOV

4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
2050 mm	240 mm	9,5 mm	6	2,952 m <sup>2</sup>	33	97,420 m <sup>2</sup>



SIBERIAN OAK  
 ● PRO L0262-03568  
 ● L0362-03568



ROCKY MOUNTAIN OAK  
 ● PRO L0262-03570  
 ● L0362-03570



SEASIDE OAK  
 ● PRO L0262-03571  
 ● L0362-03571



CHATEAU OAK  
 ● PRO L0262-03589  
 ● L0362-03589



COUNTRY OAK  
 ● PRO L0262-03590  
 ● L0362-03590



LIGHT FJORD OAK  
 ● PRO L0262-03862  
 ● L0362-03862



FJORD OAK  
 ● PRO L0262-03863  
 ● L0362-03863



LODGE OAK  
 ● PRO L0262-03864  
 ● L0362-03864



CHALKED NORDIC OAK  
 ● PRO L0262-03865  
 ● L0362-03865



BEACH TOWN OAK  
 ● PRO L0262-03870  
 ● L0362-03870

# TOREKOV MATCHING ACCESSORIES



**STANDARD SKIRTING**



**5-IN-1 INCIZO® PROFILE**



**COMMERCIAL  
EXPANSION PROFILE**



**COLOURED SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x62-03568	03568	03568	03568	PGKIT19B
L0x62-03570	03570	03570	03570	PGKIT16B
L0x62-03571	03571	03571	03571	PGKIT02B
L0x62-03589	03589	03589	03589	PGKIT04B
L0x62-03590	03590	03590	03590	PGKIT15B
L0x62-03862	03862	03862	03862	PGKIT19B
L0x62-03863	03863	03863	03863	PGKIT18B
L0x62-03864	03864	03864	03864	PGKIT18B
L0x62-03865	03865	03865	03865	PGKIT10B
L0x62-03870	03870	03870	03870	PGKIT02B

**INCIZO® SUBPROFILE | NEINCPBASE6 | 2150 × 71 × 21 mm**  
The Incizo® subprofile is required for stair application and has to be ordered separately.

# LILLEHAMMER

4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1380 mm	212 mm	9 mm	7	2,048 m <sup>2</sup>	44	90,112 m <sup>2</sup>



MATURE WHITE OAK  
 ● PRO L0244-04748  
 ● L0344-04748




SELECT OAK  
 ● PRO L0244-04749  
 ● L0344-04749



SELECT BEIGE OAK  
 ● PRO L0244-04750  
 ● L0344-04750



MATURE TAUPE OAK  
 ● PRO L0244-04751  
 ● L0344-04751



WHITE PAINTED OAK  
 ● PRO L0244-04753  
 ● L0344-04753



BLACK PAINTED OAK  
 ● PRO L0244-04755  
 ● L0344-04755



MATURE BROWN OAK  
 ● PRO L0244-04756  
 ● L0344-04756



SELECT WHITE OAK  
 ● PRO L0244-04757  
 ● L0344-04757



LIMFJORD OAK  
 ● PRO L0244-04759  
 ● L0344-04759



MODERN WALNUT  
 ● PRO L0244-04761  
 ● L0344-04761



PURE OAK  
 ● PRO L0244-04763  
 ● L0344-04763



PURE MIST OAK  
 ● PRO L0244-04764  
 ● L0344-04764



PURE GREY OAK  
 ● PRO L0244-04765  
 ● L0344-04765



PURE BROWN OAK  
 ● PRO L0244-04766  
 ● L0344-04766

# LILLEHAMMER MATCHING ACCESSORIES



**STANDARD SKIRTING**



**5-IN-1 INCIZO® PROFILE**



**COMMERCIAL  
EXPANSION PROFILE**



**COLOURED SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 x 12 x 58 mm	PGINCP(-) 2150 x 48 x 13 mm	PGEXPC(-) 2350 x 50 x 9,5 mm	PGKIT(-)B 310 ml
L0x44-04748	04748	04748	04748	PGKIT19B
L0x44-04749	04749	04749	04749	PGKIT04B
L0x44-04750	04750	04750	04750	PGKIT10B
L0x44-04751	04751	04751	04751	PGKIT17B
L0x44-04753	04753	04753	04753	PGKIT01B
L0x44-04755	04755	04755	04755	PGKIT20B
L0x44-04756	04756	04756	04756	PGKIT12B
L0x44-04757	04757	04757	04757	PGKIT19B
L0x44-04759	04759	04759	04759	PGKIT01B
L0x44-04761	04761	04761	04761	PGKIT15B
L0x44-04763	04763	04763	04763	PGKIT02B
L0x44-04764	04764	04764	04764	PGKIT16B
L0x44-04765	04765	04765	04765	PGKIT16B
L0x44-04766	04766	04766	04766	PGKIT17B

**INCIZO® SUBPROFILE** | NEINCPBASE11 | 2150 x 71 x 21 mm  
The Incizo® subprofile is required for stair application  
and has to be ordered separately.

# NARVIK

4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1380 mm	190 mm	9 mm	6	1,573 m <sup>2</sup>	64	100,670 m <sup>2</sup>



SANDBANK OAK  
● PRO X L0139-04450



WOODBIDGE OAK  
● PRO X L0139-04609



GREY BEACH OAK  
● PRO X L0139-05188



CRISPY CHALKED OAK  
● PRO X L0139-05189



LIGHT PRIME OAK  
● PRO X L0139-05190




PRIME OAK  
● PRO X L0139-05191

# NARVIK MATCHING ACCESSORIES



**STANDARD SKIRTING**



**5-IN-1 INCIZO® PROFILE**



**COMMERCIAL  
EXPANSION PROFILE**



**COLOURED SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0139-04450	01854	01854	01854	PGKIT16B
L0139-04609	01849	01849	01849	PGKIT17B
L0139-05188	03558	03558	03558	PGKIT16B
L0139-05189	03866	03866	03866	PGKIT19B
L0139-05190	04291	04291	04291	PGKIT02B
L0139-05191	04295	04295	04295	PGKIT09B

**INCIZO® SUBPROFILE | NEINCPBASE11 | 2150 × 71 × 21 mm**  
The Incizo® subprofile is required for stair application and has to be ordered separately.

# VISBY

4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1380 mm	190 mm	8 mm	7	1,835 m <sup>2</sup>	48	88,080 m <sup>2</sup>



LIMED GREY OAK  
 ● PRO L0231-03367  
 ● L0331-03367



URBAN GREY OAK  
 ● PRO L0231-03368  
 ● L0331-03368



NEW ENGLAND OAK  
 ● PRO L0231-03369  
 ● L0331-03369



MANOR OAK  
 ● PRO L0231-03370  
 ● L0331-03370



FARMHOUSE OAK  
 ● PRO L0231-03371  
 ● L0331-03371



MODERN DANISH OAK  
 ● PRO L0231-03372  
 ● L0331-03372



BRUSHED WHITE PINE  
 ● PRO L0231-03373  
 ● L0331-03373



COASTAL OAK  
 ● PRO L0231-03374  
 ● L0331-03374




VILLAGE OAK  
 ● PRO L0231-03375  
 ● L0331-03375



SCRAPED VINTAGE OAK  
 ● PRO L0231-03376  
 ● L0331-03376



FROST WHITE OAK  
 ● PRO L0231-03866  
 ● L0331-03866



STUDIO OAK  
 ● PRO L0231-03867  
 ● L0331-03867



CITY OAK  
 ● PRO L0231-03868  
 ● L0331-03868



BLACK PEPPER OAK  
 ● PRO L0231-03869  
 ● L0331-03869



# VISBY MATCHING ACCESSORIES



**STANDARD SKIRTING**

**5-IN-1 INCIZO® PROFILE**

**COMMERCIAL  
EXPANSION PROFILE**

**COLOURED SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x31-03367	03367	03367	03367	PGKIT19B
L0x31-03368	03368	03368	03368	PGKIT03B
L0x31-03369	03369	03369	03369	PGKIT18B
L0x31-03370	03370	03370	03370	PGKIT09B
L0x31-03371	03371	03371	03371	PGKIT15B
L0x31-03372	03372	03372	03372	PGKIT02B
L0x31-03373	03373	03373	03373	PGKIT01B
L0x31-03374	03374	03374	03374	PGKIT02B
L0x31-03375	03375	03375	03375	PGKIT04B
L0x31-03376	03376	03376	03376	PGKIT04B
L0x31-03866	03866	03866	03866	PGKIT01B
L0x31-03867	03867	03867	03867	PGKIT19B
L0x31-03868	03868	03868	03868	PGKIT10B
L0x31-03869	03869	03869	03869	PGKIT12B

**INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 21 mm**  
The Incizo® subprofile is required for stair application and has to be ordered separately.

# ROSKILDE

NO BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1380 mm	156 mm	8 mm	8	1,722 m <sup>2</sup>	50	86,100 m <sup>2</sup>



COUNTRYSIDE OAK  
 ● PRO L0235-00312  
 ● L0335-00312



CANYON BEIGE OAK  
 ● PRO L0235-01491  
 ● L0335-01491



LAPPLAND OAK  
 ● PRO L0235-03573  
 ● L0335-03573



RUSTIC GREY OAK  
 ● PRO L0235-03580  
 ● L0335-03580



NEW YORK OAK  
 ● PRO L0235-03581  
 ● L0335-03581



BROWN VALLEY OAK  
 ● PRO L0235-03582  
 ● L0335-03582



BOATHOUSE GREY OAK  
 ● PRO L0235-03906  
 ● L0335-03906



SEASHELL OAK  
 ● PRO L0235-04430  
 ● L0335-04430



LIGHT VALLEY OAK  
 ● PRO L0235-04431  
 ● L0335-04431



COOL GREY OAK  
 ● PRO L0235-04432  
 ● L0335-04432




CANYON TAUPE OAK  
 ● PRO L0235-04433  
 ● L0335-04433



ELEGANT ASH  
 ● PRO L0235-04434  
 ● L0335-04434

# ROSKILDE MATCHING ACCESSORIES



**STANDARD SKIRTING**

**5-IN-1 INCIZO® PROFILE**

**COMMERCIAL  
EXPANSION PROFILE**

**COLOURED SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x35-00312	00312	00312	00312	PGKIT09B
L0x35-01491	01491	01491	01491	PGKIT04B
L0x35-03573	03573	03573	03573	PGKIT19B
L0x35-03580	03580	03580	03580	PGKIT16B
L0x35-03581	03581	03581	03581	PGKIT20B
L0x35-03582	03582	03582	03582	PGKIT15B
L0x35-03906	03575	03575	03575	PGKIT19B
L0x35-04430	03866	03866	03866	PGKIT19B
L0x35-04431	03374	03374	03374	PGKIT02B
L0x35-04432	03367	03367	03367	PGKIT19B
L0x35-04433	04433	04433	04433	PGKIT16B
L0x35-04434	04434	04434	04434	PGKIT02B

**INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 21 mm**  
The Incizo® subprofile is required for stair application and has to be ordered separately.

# PERSTORP

NO BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
1200 mm	190 mm	8 mm	7	1,596 m <sup>2</sup>	48	76,610 m <sup>2</sup>



GREY OAK,  
3-STRIP  
● PRO L0252-01786  
● L0352-01786



ELEGANT OAK,  
3-STRIP  
● PRO L0252-01789  
● L0352-01789



LINNEN OAK,  
2-STRIP  
● PRO L0252-01797  
● L0352-01797



PURE OAK,  
2-STRIP  
● PRO L0252-01799  
● L0352-01799



NORDIC ASH,  
2-STRIP  
● PRO L0252-01800  
● L0352-01800



MOUNTAIN GREY OAK  
● L0352-01802



CLASSIC OAK,  
3-STRIP  
● PRO L0252-01819  
● L0352-01819



DARK BROWN OAK,  
3-STRIP  
● PRO L0252-01820  
● L0352-01820



NORDIC GREY OAK,  
2-STRIP  
● PRO L0252-03363  
● L0352-03363



MORNING OAK  
● L0352-03364



NATURAL HONEY OAK  
● L0352-04085



BEIGE SAND OAK  
● L0352-04093



NORDIC NATURAL OAK  
● L0352-05787



UMBER OAK  
● L0352-05793




FROSTY GREY OAK  
● L0352-05798



GREIGE FJORD OAK  
● L0352-05802

# PERSTORP MATCHING ACCESSORIES



**STANDARD SKIRTING**

**5-IN-1 INCIZO® PROFILE**

**COMMERCIAL  
EXPANSION PROFILE**

**COLOURED SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x52-01786	01786	01786	01786	PGKIT16B
L0x52-01789	01789	01789	01789	PGKIT04B
L0x52-01797	01797	01797	01797	PGKIT18B
L0x52-01799	01799	01799	01799	PGKIT10B
L0x52-01800	01800	01800	01800	PGKIT02B
L0352-01802	01802	01802	01802	PGKIT17B
L0x52-01819	01819	01819	01819	PGKIT04B
L0x52-01820	01820	01820	01820	PGKIT12B
L0x52-03363	01821	01821	01821	PGKIT16B
L0352-03364	03364	03364	03364	PGKIT19B
L0352-04085	04085	04085	04085	PGKIT10B
L0352-04093	04093	04093	04093	PGKIT02B
L0352-05787	05787	05787	05787	PGKIT04B
L0352-05793	05793	05793	05793	PGKIT15B
L0352-05798	05798	05798	05798	PGKIT01B
L0352-05802	05802	05802	05802	PGKIT18B

**INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 21 mm**  
The Incizo® subprofile is required for stair application and has to be ordered separately.



## YOUR FLOOR – FINISHED IN STYLE

Choose from our wide range of accessories to give your interior that perfectly finished look. From seamless transitions to stairs or walls, silent underlays to improve your comfort or a skirting that finishes off the room in style. Details make perfection.

### 1. UNDERLAYS

Make a great floor greater.

Underlays increase walking comfort, improve your room's acoustics, avoid creaking noises, support the click system and protect floors from rising moisture and rising damp. They can be combined with underfloor heating too.

### 2. SKIRTINGS

Finish the look with colour matching skirtings, or complete your interior style with one of the many paintable white shapes.

### 3. PROFILES






Hide those saw cuts and give your floor room to expand with profiles. Create a smooth transition with the colour matched Incizo® profile.

### ALL YOU NEED TO INSTALL, FINISH AND MAINTAIN YOUR FLOOR

A laminate floor is more than the planks you walk on. It's a complete home decor solution. That's why Pergo also offers a full line of accessories. Everything you need for trouble-free installation, finishing and maintenance.

# INSTALLATION







## UNDERLAYS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	<b>FOAM UNDERLAY</b> for wood subfloors  PGUDLFOAM15B 15 m <sup>2</sup> / roll	15800	950	2	1	195	195	950	24
	<b>SMART UNDERLAY</b> for wood subfloors  PGUDLSMART15 15 m <sup>2</sup> / pack	15000	1000	3	1	1000	250	180	18
	<b>FOAM+ UNDERLAY</b> for concrete subfloors  PGUDLFOAMPLUS15 15 m <sup>2</sup> / roll	15960	940	2	1	210	210	940	20
	<b>SMART+ UNDERLAY</b> for concrete subfloors  PGUDLSMARTPLUS15 15 m <sup>2</sup> / pack	15000	1000	3	1	1000	250	180	18
	<b>SILENT WALK UNDERLAY</b> for wood & concrete subfloors  PGUDLSW7 7 m <sup>2</sup> / roll	7000	1000	2	1	190	190	1000	40

\* Cradle to Cradle Certified® products are awarded certification based upon their performance across five critical areas of sustainability: Material health, Product Circularity, Clean Air & Climate Protection, Water & Soil Stewardship and Social Fairness.

# INSTALLATION

## UNDERLAYS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>PE FILM</b> PGUDLSCREEN34 33,75 m<sup>2</sup> / roll</p>	12500	2700	0,2	1	150	250	2700	60
 <p><b>QUICKHEAT FOIL</b> NEUDLQH60X300 60 × 300 cm</p>	3000	600	0,35	1	645	125	125	180
 <p><b>QUICKHEAT FOIL</b> NEUDLQH60X500 60 × 500 cm</p>	5000	600	0,35	1	645	125	125	180
 <p><b>QUICKHEAT FOIL</b> NEUDLQH60X700 60 × 700 cm</p>	7000	600	0,35	1	645	125	125	180
 <p><b>QUICKHEAT FOIL</b> NEUDLQH100X300 100 × 300 cm</p>	3000	1000	0,35	1	1040	125	125	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH100X500 100 × 500 cm</p>	5000	1000	0,35	1	1040	125	125	114



UNDERLAYS

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>QUICKHEAT FOIL</b> NEUDLQH100X700 100 × 700 cm</p>	7000	1000	0,35	1	1040	125	125	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH120X300 120 × 300 cm</p>	3000	1200	0,35	1	1240	130	130	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH120X500 120 × 500 cm</p>	5000	1200	0,35	1	1240	130	130	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH120X700 120 × 700 cm</p>	7000	1200	0,35	1	1240	130	130	114
 <p><b>QUICKHEAT INSULATION PLATES</b> NEUDLQHPLATE 120 × 50 cm 1 pc: 10 plates</p>	1200	500	7	1	1200	500	70	30

# INSTALLATION

## UNDERLAYS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
<b>QUICKHEAT CONTROLLER KIT WIRELESS</b>  NEQHKITWIFI	120	100	35	1	165	55	190	40
<b>QUICKHEAT EXTENSION CABLE</b>  NEQHEXTCAB100 1 m	1000	170	15	1	315	190	20	75
NEQHEXTCAB300 3 m	3000	170	15	1	315	190	20	75





## COMMERCIAL UNDERLAYS

The best underlay for eliminating impact sound.  
Vapour barrier with an overlap and tape strip included.




	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
<b>PROFESSIONAL SOUNDBLOC</b>  PGUDLPS15 15 m <sup>2</sup> / roll	15790	950	2	1	240	240	940	20
PGUDLPS50 50 m <sup>2</sup> / roll	52640	940	2	1	420	420	940	6

## INSTALLATION TOOLS







	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>ADHESIVE TAPE</b> NETAPE50</p>	5000	50	0,5	96	310	290	290	960
 <p><b>INSTALLATION SET</b> PGTOOL</p>	285	80	70	10	300	370	170	320
 <p><b>SPACERS</b> PGSPACER 1 pc: 48 spacers</p>	190	85	50	28	300	370	170	896
 <p><b>SAFESEAL</b> PGSEAL500 50 ml</p>	240	65	65	6	195	130	245	1080

## COMMERCIAL INSTALLATION TOOLS




	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>PROFESSIONAL PULLBAR</b> PGWPULLBAR Professional and silent pullbar thanks to the rubber shock absorber on the contact surface.</p>	700	280	230	1	575	375	140	120
 <p><b>PROFESSIONAL TAPPING BLOCK</b> PGWTAPPINGBLOCK Professional tapping block that distributes the tapping force equally to protect your plank.</p>	520	110	62	10	200	200	60	480

# FINISHING

## SKIRTINGS






	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>COLOUR MATCHING STANDARD SKIRTING</b> PGSK(-) 2400 × 12 × 58 mm</p>	2400	12	58	6	2410	65	61	720
 <p><b>PAINTABLE STANDARD SKIRTING</b> PGSKPAINTA 2400 × 12 × 58 mm</p>	2400	12	58	6	2405	60	65	720
 <p><b>PAINTABLE SCOTIA</b> PGSCOTPAINTA 2400 × 17 × 17 mm</p>	2400	17	17	6	2440	54	54	894
 <p><b>PAINTABLE PARQUET SKIRTING</b> PGPSKPAINTA 2400 × 14 × 77 mm</p>	2400	14	77	6	2405	89	79	432
 <p><b>PAINTABLE COVER SKIRTING</b> PGISKRCOVER 2400 × 129 × 16 mm</p>	2400	129	16	6	2410	146	48	264
 <p><b>PAINTABLE WATERPROOF MEDIUM SKIRTING</b> PGHSK58PAINT 2400 × 13 × 58 mm</p>	2400	13	58	6	2400	80	60	540

INSTALLATION TOOLS  
FOR SKIRTINGS




	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>PLUGS FOR SKIRTINGS</b></p> <p>NEPLUG 1 pc: 48 plugs</p>	100	150	40	10	250	160	105	1000
 <p><b>CLIPS FOR STANDARD SKIRTING 7 - 8 MM FLOORS</b></p> <p>PGCLIPSKME7080 1 pc: 50 clips</p>	394	139	59	20	460	275	330	420
 <p><b>MULTIGLUE</b></p> <p>PGGLUE290 290 ml</p>	50	50	230	12	213	160	240	1200

# FINISHING

## PROFILES






	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>INCIZO® PROFILE</b> PGINCP(-) 2150 × 48 × 13 mm</p>	2150	48	13	1	2250	69	27	266
 <p><b>INCIZO® ALUMINIUM SUBPROFILE FOR STAIRS</b> NEINCPBASE2 (8 mm floors) NEINCPBASE6 (9,5 mm floors) NEINCPBASE8 (8 mm floors) NEINCPBASE11 (9 mm floors)</p>	2150	71	21	1	2158	74	22	234
 <p><b>MULTIFUNCTIONAL PROFILE SILVER</b> PGPRSILV 1860 × 47 × 16 mm</p>	1860	47	16	1	1860	60	16	340
 <p><b>END PROFILE SILVER</b> PGENPSILVME270 2700 × 25 × 9,5 mm</p>	2700	25	9,5	10	2805	72	70	280
 <p><b>STAIR PROFILE SILVER</b> PGSTPSILVME250 2500 × 50 × 25 mm</p>	2500	50	25	5	2720	80	80	300

COMMERCIAL  
PROFILES

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>COMMERCIAL EXPANSION PROFILE COLOUR MATCHED</b></p> <p>PGEXPC(-) From laminate to laminate. Easy installation with snap-in function. Min. order quantity 30 pcs, order per 5 pcs</p>	2350	50	9,5	5	2365	80	70	225
 <p><b>COMMERCIAL EXPANSION PROFILE NATURE</b></p> <p>PGEXPCNATURE From laminate to laminate. Easy installation with snap-in function.</p>	2350	50	9,5	5	2365	80	70	225
 <p><b>COMMERCIAL EXPANSION PROFILE SILVER</b></p> <p>PGEXPCSVLME270 Flexible in height. Flooring thickness (including underlay) 7 – 18 mm</p>	2700	45	12	10	2800	80	80	250
 <p><b>COMMERCIAL END PROFILE SILVER</b></p> <p>PGENPCSVLME270 Fits to flooring thickness of 9-10 mm.</p>	2700	40	10,3	10	2800	150	60	100

# FINISHING

## COMMERCIAL PROFILES

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>COMMERCIAL RAMP PROFILE SILVER - DRILLED</b></p> <p>PGRPC80SILVME270 Flexible in height. Flooring thickness (including underlay) 9 – 15 mm. Extremely resistant aluminium profile.</p>	2700	80	11	10	2800	130	95	300
 <p><b>COMMERCIAL LOW RAMP PROFILE SILVER</b></p> <p>PGRPC55SILVME315A Fits to flooring thickness of 8-9 mm.</p>	3150	55	11,6	10	3190	135	100	250
 <p><b>PRE-CUT CORNER FOR LOW RAMP PROFILE</b></p> <p>PGRPC55CORNSILVMEA Fits to flooring thickness of 8-9 mm.</p>	200	55	11,6	4	330	310	70	48
 <p><b>COMMERCIAL HIGH RAMP PROFILE SILVER</b></p> <p>PGRPC85SILVME315 Fits to flooring construction of 22,5 mm.</p>	3150	85	24	5	3190	150	110	30
 <p><b>PRE-CUT CORNER FOR HIGH RAMP PROFILE</b></p> <p>PGRPC85CORNSILVME Fits to flooring construction of 22,5 mm.</p>	200	84	24	4	330	310	70	48



## FINISHING TOOLS



### COLOURED SEALANT

PGKIT(-)B  
310 ml

length mm	PIECE			pc / pack	PACK			PALLET pc / pallet
	width mm	height mm	length mm		width mm	height mm		

50	50	230	12	213	160	240	1200
----	----	-----	----	-----	-----	-----	------



### PIPE COVERS 18 MM

PGPCINOX18  
1 pc: 2 pipe covers

75	20	140	15	240	165	130	510
----	----	-----	----	-----	-----	-----	-----



### PIPE COVERS 22 MM

PGPCINOX22  
1 pc: 2 pipe covers

75	20	140	15	240	165	130	510
----	----	-----	----	-----	-----	-----	-----

## TOOLS FOR A WATERTIGHT FINISH



### FOAMSTRIP

NEFOAMSTRIP20  
20 x 1 m x Ø 10 mm

length mm	PIECE			pc / pack	PACK			PALLET pc / pallet
	width mm	height mm	length mm		width mm	height mm		

300	310	75	1	300	310	75	125
-----	-----	----	---	-----	-----	----	-----



### AQUA SEALANT

PGKITTRANSP  
310 ml

50	50	230	12	213	160	240	1200
----	----	-----	----	-----	-----	-----	------







### HYDROSTRIP FOR STANDARD SKIRTING

NEHSTRIPSK15  
310 ml

15000	8	5	18	793	268	332	3888
-------	---	---	----	-----	-----	-----	------

# MAINTENANCE

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>FLOOR CLEANER 1 L</b> PGCLEANECO1000</p>	90	76	270	6	280	165	290	342
 <p><b>SPOT CLEANER 250 ML</b> PGSPOTCLEAN</p>	50	50	200	20	260	210	210	1120
 <p><b>CLEANING KIT</b> PGCLEANINGKIT</p>	770	200	55	6	790	165	250	144
 <p><b>REPAIR KIT</b> PGREPAIR</p>	290	125	28	12	370	250	150	648



# THE CORE OF ALL OUR LAMINATE FLOORING IS MADE OUT OF 100% RECOVERED WOOD

## DURABLE. NATURALLY.

We produce flooring as sustainable as possible, constantly innovating to minimize the potential impact on our planet. Therefore, we (Unilin Group) have linked ourselves to the Science Based Targets Initiative\*. Our set and verified climate targets for 2030 put us firmly on the path to help limit global warming to 1.5°C, as outlined by the Paris Agreement. As the inventors of laminate flooring, we're proud to be the first producer to receive the Nordic Swan label and EU Ecolabel for a floor.

Our laminate floors are certified by PEFC – the most trusted certificate in sustainable sourcing together. This guarantees our recovered wood is sourced from sustainably managed forests and controlled sources.

### MAKING USE OF RECOVERED WOOD

Trees are also an important habitat for animals and essential in stimulating biodiversity. We therefore use 100% recovered wood when producing the high-density wood fibreboard in the core of our laminate. This is wood collected from sawmills, forest management processes.

### CLEAN AIR INDOORS

We spend lots of time indoors, and there are many things that influence air quality, like ventilation, cleaning agents, candles and even your furnishing materials and flooring.

We produce flooring in-house so we know exactly

which materials are involved and can control emissions of harmful substances. And you can install your flooring without needing any adhesives.

### MINIMAL VOC EMISSION

We work to minimize VOC (Volatile Organic Compounds) emissions. Formaldehyde is a VOC that's found in flooring. Formaldehyde emission in our laminate flooring is negligible and much lower than EU restrictions, so there's no risk for you or your family.

### GREEN ENERGY PRODUCTION

Unilin, the group behind Pergo, has invested in green energy for many years. Today we are operating at 60% renewable energy thanks to windmills, solar panels and even two co-owned biomass plants.

### EASY TO INSTALL, EASY TO LIVE WITH

We believe in making floors that will last and bring joy, instead of becoming waste after a few years. That's why we offer a life-long warranty\*\*. Thanks to our advanced click technology you can install your floor glue-free without needing tools. That way you can uninstall your floor without any hassle or damage.



\* The Science Based Targets initiative (SBTi) is a collaboration between CDP, the United Nations Global Compact, World Resources Institute (WRI) and the Worldwide Fund for Nature (WWF). The SBTi defines and promotes best practice in science-based target setting, and independently assesses and validates companies' climate targets.  
 \*\* For full warranty go to [pergo.com](http://pergo.com).



# PERGO®

Floors for real life

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. With reservation for errors. Contents © 2023 by Unilin bv – division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. For consumer questions and retailers visit pergo.com.

Pergo is a quality product produced by UNILIN BV, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium

a brand of  UNILIN