

# PERGO®

WOOD PARQUET  
COLLECTIONS 2023-2024

FOR PARTNERS & PROFESSIONALS





## FLOORS FOR REAL LIFE

At Pergo we build strikingly beautiful, extremely hard-wearing floors. No shortcuts, no compromises, just the best in Scandinavian function, design and engineering. We invented laminate flooring and in fact, we've been innovating floors that have gone from strength to strength from the 1970's.

Floors that are easy to install and maintain. And with one of the widest ranges around in wood, vinyl and laminate, you're sure to find the perfect one for you.

Come in and look around.



# OUR AMBITIOUS CLIMATE TARGETS FOR 2030 ARE VALIDATED BY THE SCIENCE BASED TARGETS INITIATIVE.

## DURABLE. NATURALLY.

We produce flooring as sustainable as possible, constantly innovating to minimize the potential impact on our planet. Therefore, we (Unilin Group) have linked ourselves to the Science Based Targets Initiative\*. Our set and verified climate targets for 2030 put us firmly on the path to help limit global warming to 1,5°C, as outlined by the Paris Agreement. As the inventors of laminate flooring, we're proud to be the first producer to receive the Nordic Swan label and EU Ecolabel for a floor.

### TREATING TREES WITH CARE

Our wood flooring is beautiful, easy to care for, and engineered for maximum environmental friendliness. We have a responsibility to produce it as sustainable as possible so we can continue to enjoy beautiful things from our planet.

Trees help us combat climate change by absorbing CO<sup>2</sup> and stimulating biodiversity. We use wood from fast-growing trees or high-density fibreboard made of recovered wood for the core of our wood floors. We only use slow-growing trees like oak for the top layers of our wood floors.

### SUSTAINABLY MANAGED FORESTS

Our wood floors carry the PEFC label, the most trusted certificate in sustainable sourcing. This guarantees our wood comes from sustainable managed forests and controlled sources. So we're sure our wood sourcing doesn't contribute to deforestation.

### CLEAN AIR INDOORS

We spend lots of time indoors, and there are many things that influence air quality, like ventilation, cleaning agents, candles, and even your furnishing materials and flooring. We produce flooring in-house so we know exactly which materials are involved and we can control emissions of harmful substances. Thanks to our Perfectfold™ click system, you don't need any adhesives.

### MINIMAL VOC EMISSION

We work to minimize VOC (Volatile Organic Compound) emissions. Formaldehyde is a VOC that's found in flooring. Formaldehyde emissions in our wood flooring is negligible and much lower than EU restrictions, so there's no risk for you or your family.

### GREEN ENERGY PRODUCTION

Unilin, the group behind Pergo, has invested in green energy for many years. Today we are operating at 60% renewable energy thanks to windmills, solar panels and even two co-owned biomass plants.



\* The Sciences Based Targets initiative (SBTi) is a collaboration between CDP, the United Nations Global Compact, World Resources Institute (WRI) and the Worldwide Fund for Nature (WWF). The SBTi defines and promotes best practice in science-based target setting, and independently assesses and validates companies' climate targets.

\*\* For full warranty go to Pergo.com.



## WHY PERGO WOOD FLOORS?



### STAYCLEAN

Makes your wood floors extra resistant to spills and dirt.



### NEW STAYCLEAN+

A new, advanced protection that keeps your Pergo parquet floor worry-free and water resistant\*.



### LAYER ON LAYER

Treated with 7 layers of lacquer, our wood floors have excellent wear resistance.



### EASY TO INSTALL

Fast, easy installation with PerfectFold™ click system or Uniclic® click system. Just click in – then move in.



### PERFECT FINISH

From faultless installation, to seamless finishing and easy maintenance of your beautiful new floor. Choose from our wide range of accessories.



### LIFETIME WARRANTY

Thanks to a robust and innovative construction, every Pergo wood floor is made to last, and that's why our products come with an extensive warranty.\*\*

\* Tested according to ISO 4760 (no leakage).

\*\* For full warranty description, go to [pergo.com](https://pergo.com).

# STAYCLEAN PROTECTS YOUR FLOOR FROM SPILLS AND DIRT

StayClean is a unique protection that adds extra resistance to spills and prevents dirt from getting stuck in the joints and wood texture. StayClean keeps your Pergo wood floors looking their best year after year.



Other, untreated, wood floors can be penetrated by dirt and water.

# NEW STAYCLEAN+ WORRY FREE & WATER RESISTANT PARQUET FLOORS

StayClean+ is a new, revolutionary and advanced protection that keeps your Pergo parquet floor worry-free. The surface is watertight - even if water is lying on the floor for up to 72 hours. So now you can safely install your floor in the kitchen or hallway, without fear of damage due to water infiltration.

With up to 170 rainy days a year in Scandinavia, we know a little something about keeping our floors water resistant. So don't worry about leaving the window open in the storm, that deep red wine stain from the party, or the dog coming home after playing in the rain.



## WATER RESISTANT\* FOR UP TO 72 HOURS

StayClean+ keeps all those liquids and stains at bay for longer, protecting the whole surface and edges of your floor and making the bevels watertight. So your wood floors always look as bright and new as the day you installed them.



## WET WARRANTY\*\*

A 15-year wet warranty for floors with StayClean+ really does give you wood without worry.

\* Tested according to ISO 4760 (no leakage).

\*\* For full warranty conditions go to [pergo.com](http://pergo.com).



STAYCLEAN+  
WATER RESISTANT  
UP TO

72h



# WHICH PERGO WOOD FLOOR IS JUST RIGHT FOR YOU?

## GRADING



### SELECTED

Wood with small knots and a natural variation in colour and structure.



### ACCENT

Wood with medium knots and a pronounced variation in colour and structure.



### LIVELY

Wood with large knots and cracks and a lively variation in colour and structure. More rustic.

## STRUCTURE



### BRUSHED

Brushing the surface of a wood plank accentuates the natural grain and enhances the authentic look and feel.



### DEEP BRUSHED

The wood surface is treated with special brushes down the soft parts of the wood. Deep brushing enhances the natural wood feel.

## FINISH



### EXTRA MATT LACQUER

Our extra matt lacquer gives you the look of untreated wood with the performance and low-maintenance of lacquer.



### MATT LACQUER

Enhances the colours of your wood floor, while letting the natural, authentic look shine through.



1. PROTECTIVE FINISH,  
7 LAYERS OF HIGH-QUALITY LACQUER
2. OAK TOPLAYER
3. ADVANCED CORE
4. BALANCED BACKING LAYER

FEATURES		FALSTER	LOFOTEN	SVALBARD	LANGELAND	SALTHOLM
TOP LAYER		2,5 mm	2,5 mm	2,5 mm	2,5 mm	2,5 mm
CORE		HDF	HDF	HDF	Wood	Wood
BACKING LAYER		2,0 mm	2,0 mm	2,0 mm	2,0 mm	2,0 mm
MOISTURE / DIRT PROTECTION		StayClean+	StayClean+	StayClean+	StayClean	StayClean
INSTALLATION METHOD		PerfectFold™	PerfectFold™	PerfectFold™	PerfectFold™	Uniclic®
WARRANTY (RESIDENTIAL USE)		Lifetime	Lifetime	Lifetime	Lifetime	Lifetime
WARRANTY (COMMERCIAL USE)		On request	On request	On request	On request	On request
STAYCLEAN (+) WARRANTY		15 years	15 years	15 years	15 years	15 years

TECHNICALS	STANDARD	FALSTER	LOFOTEN	SVALBARD	LANGELAND	SALTHOLM
SCRATCH RESISTANCE	-	Anti scratch top coat	Anti scratch top coat	Anti scratch top coat	Anti scratch top coat	Anti scratch top coat
SLIP RESISTANCE	CEN/TS 15676 : 2008	USRV 37-57	USRV 37-57	USRV 37-57	USRV 37-57	USRV 37-57
FIRE CLASSIFICATION	EN 13501-1	Cfl-S1	Cfl-S1	Cfl-S1	Dfl-S1	Dfl-S1
HEAT RESISTANCE	EN 12664: 2001	0,11 m <sup>2</sup> K/W	0,11 m <sup>2</sup> K/W	0,11 m <sup>2</sup> K/W	0,14 m <sup>2</sup> K/W	0,14 m <sup>2</sup> K/W
FORMALDEHYDE EMISSION	EN 717-1	≤ E1	≤ E1	≤ E1	≤ E1	≤ E1

#### PERGO WARRANTY

The use of accessories other than genuine Pergo accessories can damage your Pergo floor. In this case, the warranty offered by Pergo will no longer be valid. We advise you to only use Pergo accessories that are specifically designed to use with Pergo floors.

*Our classification system divides our wide range of floors into different categories: Selected, accent and lively. Even though each plank is unique, this will give you an idea of what your floor might look like in the end.*

*To make sure we make the most of every part of the tree, our boxes can contain planks that are split into multiple shorter planks. This does not only prevent us from having to discard valuable wood. It also provides you with start / stop planks without having to cut them from a full-length plank, which reduces waste at your end as well as ours.*

# OUR COLLECTIONS

Scandinavian never goes out of style. Same goes for functional design. Our complete range of Pergo wood floors delivers just that. From classy, long, extremely wide planks like Langeland and Svalbard, thinner, contemporary floors like Falster and Lofoten, to Saltholm, retro-chic herringbone.

All our wood floors are extremely well covered for everyday life, but our Falster, Lofoten and Svalbard floors are covered with new StayClean+ that gives you that extra protection.

Transform the feeling of your entire room.  
Make it wider, narrower, longer,  
darker or lighter by the planks you use  
– the options are endless.



**FALSTER**  
2200 × 145 mm\*  
1820 × 145 mm\*




**LOFOTEN**  
2200 × 190 mm\*  
1820 × 190 mm\*



**SVALBARD**  
2200 × 220 mm\*  
1820 × 220 mm\*



**LANGELAND**  
2400 × 260 mm\*  
2200 × 260 mm\*



**SALTHOLM**  
580 × 145 mm

*\* We go to great lengths to help nature.*

*Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary.*

*Check which length is currently available.*

		STAY CLEAN	STAY CLEAN+	BEVELS	STAYCLEAN WARRANTY	STAYCLEAN+ WARRANTY	WARRANTY
<b>NEW FALSTER</b>	2200 × 145 × 13 mm 1820 × 145 × 13 mm		•	2		15 years	lifetime
LOFOTEN	2200 × 190 × 13 mm 1820 × 190 × 13 mm		•	2		15 years	lifetime
SVALBARD	2200 × 220 × 13 mm 1820 × 220 × 13 mm		•	4		15 years	lifetime
LANGELAND	2400 × 260 × 13,5 mm 2200 × 260 × 13,5 mm	•		4	15 years		lifetime
SALTHOLM	580 × 145 × 13,5 mm	•		4	15 years		lifetime

# NEW FALSTER



2,5 MM SURFACE | 2-WAY BEVEL

length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
● 2200 mm*	145 mm	13 mm	6	1,914	66	126,320
● 1820 mm*	145 mm	13 mm	6	1,583	66	104,500



SPRING OAK

- W1261-01741-3
- W1214-01741-3

ACCENT | BRUSHED  
MATT LACQUER



RANCH OAK

- W1261-03097-3
- W1214-03097-3

LIVELY | DEEP BRUSHED  
EXTRA MATT LACQUER



NORTHERN LIGHT OAK

- W1261-03202-3
- W1214-03202-3

ACCENT | BRUSHED  
MATT LACQUER



ARCTIC OAK

- W1261-03572-3
- W1214-03572-3

ACCENT | BRUSHED  
MATT LACQUER



SADDLE BROWN OAK

- W1261-03797-3
- W1214-03797-3

LIVELY | DEEP BRUSHED  
EXTRA MATT LACQUER



HARBOURSIDE OAK

- W1261-03800-3
- W1214-03800-3

SELECTED | DEEP BRUSHED  
EXTRA MATT LACQUER



LIGHT PURE OAK

- W1261-05125-3
- W1214-05125-3

SELECTED | BRUSHED  
EXTRA MATT LACQUER

\* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check which length is currently available.

# FALSTER MATCHING ACCESSORIES



**PARQUET SKIRTING**



**WATER RESISTANT  
PARQUET SKIRTING**



**5-IN-1 INCIZO® PROFILE\***



**COLOURED SEALANT**

<b>ART. NO DIMENSIONS</b>	<b>PGWPPSKR(-) 2400 × 16 × 80 mm</b>	<b>PGWPPSKR(-)MM 2400 × 16 × 80 mm</b>	<b>PGWINCP(-) 2150 × 54 × 17 mm</b>	<b>PGKIT(-)B 310 ml</b>
W12xx-01741-3		01741	01741	PGKIT09B
W12xx-03097-3		01341	01341	PGKIT09B
W12xx-03202-3		01340	01340	PGKIT02B
W12xx-03572-3		01742	01742	PGKIT02B
W12xx-03797-3		03797	03797	PGKIT15B
W12xx-03800-3		03017	03017	PGKIT10B
W12xx-05125-3		01341	01341	PGKIT09B

\* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.

The Incizo® subprofile is required for stair application and has to be ordered separately.

# LOFOTEN

2,5 MM SURFACE | 2-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
● 2200 mm*	190 mm	13 mm	6	2,508 m <sup>2</sup>	40	100,320 m <sup>2</sup>
● 1820 mm*	190 mm	13 mm	6	2,075 m <sup>2</sup>	50	103,740 m <sup>2</sup>



**SPRING OAK**  
 ● W1259-01741-3  
 ● W1216-01741-3

ACCENT | BRUSHED  
 MATT LACQUER



**RANCH OAK**  
 ● W1259-03097-3  
 ● W1216-03097-3

LIVELY | DEEP BRUSHED  
 EXTRA MATT LACQUER



**NATURAL OAK**  
 ● W1259-03201-3  
 ● W1216-03201-3

ACCENT | BRUSHED  
 MATT LACQUER



**NORTHERN LIGHT OAK**  
 ● W1259-03202-3  
 ● W1216-03202-3

ACCENT | BRUSHED  
 MATT LACQUER




**ARCTIC OAK**  
 ● W1259-03572-3  
 ● W1216-03572-3

ACCENT | BRUSHED  
 MATT LACQUER




**WHITE SAND OAK**  
 ● W1259-03793-3  
 ● W1216-03793-3

LIVELY | DEEP BRUSHED  
 EXTRA MATT LACQUER



**SADDLE BROWN OAK**  
 ● W1259-03797-3  
 ● W1216-03797-3

LIVELY | DEEP BRUSHED  
 EXTRA MATT LACQUER



**NATURAL PRIME OAK**  
 ● W1259-03798-3  
 ● W1216-03798-3

SELECTED | DEEP BRUSHED  
 EXTRA MATT LACQUER



**HARBOURSIDE OAK**  
 ● W1259-03800-3  
 ● W1216-03800-3

SELECTED | DEEP BRUSHED  
 EXTRA MATT LACQUER



**BROWN CABIN OAK**  
 ● W1259-03888-3  
 ● W1216-03888-3

SELECTED | BRUSHED  
 EXTRA MATT LACQUER



**LIGHT PURE OAK**  
 ● W1259-05125-3  
 ● W1216-05125-3

SELECTED | BRUSHED  
 EXTRA MATT LACQUER

\* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check which length is currently available.

# LOFOTEN MATCHING ACCESSORIES



## PARQUET SKIRTING

## WATER RESISTANT PARQUET SKIRTING

## 5-IN-1 INCIZO® PROFILE\*

## COLOURED SEALANT

### ART. NO DIMENSIONS

PGWPPSKR(-)  
2400 × 16 × 80 mm

PGWPPSKR(-)MM  
2400 × 16 × 80 mm

PGWINCP(-)  
2150 × 54 × 17 mm

PGKIT(-)B  
310 ml

W12xx-01741-3

01741

01741

PGKIT09B

W12xx-03097-3

01341

01341

PGKIT09B

W12xx-03201-3

01334

01334

PGKIT04B

W12xx-03202-3

01340

01340

PGKIT02B

W12xx-03572-3

01742

01742

PGKIT02B

W12xx-03793-3

01742

01742

PGKIT18B

W12xx-03797-3

03797

03797

PGKIT15B

W12xx-03798-3

01334

01334

PGKIT04B

W12xx-03800-3

03017

03017

PGKIT10B

W12xx-03888-3

03096

03096

PGKIT14B

W12xx-05125-3

01341

01341

PGKIT09B

\* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.

The Incizo® subprofile is required for stair application and has to be ordered separately.

# SVALBARD

2,5 MM SURFACE | 4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
● 2200 mm*	220 mm	13 mm	4	1,936 m <sup>2</sup>	56	108,420 m <sup>2</sup>
● 1820 mm*	220 mm	13 mm	4	1,602 m <sup>2</sup>	56	89,690 m <sup>2</sup>



## SUBLIME OAK

- W1248-03792-3
- W1268-03792-3

LIVELY | BRUSHED  
EXTRA MATT LACQUER



## ICE WHITE OAK

- W1248-03793-3
- W1268-03793-3

LIVELY | DEEP BRUSHED  
EXTRA MATT LACQUER



## LIGHTHOUSE OAK

- W1248-03794-3
- W1268-03794-3

LIVELY | DEEP BRUSHED  
EXTRA MATT LACQUER



## LAPLAND OAK

- W1248-05117-3
- W1268-05117-3

ACCENT | BRUSHED  
EXTRA MATT LACQUER



## COUNTRY OAK

- W1248-05121-3
- W1268-05121-3

SELECTED | BRUSHED  
EXTRA MATT LACQUER



## FROST OAK

- W1248-05122-3
- W1268-05122-3

SELECTED | BRUSHED  
EXTRA MATT LACQUER



## SMOKED MANSION OAK

- W1248-05123-3
- W1268-05123-3

LIVELY | DEEP BRUSHED  
EXTRA MATT LACQUER



## CAMEL BROWN OAK



- W1248-05124-3
- W1268-05124-3

ACCENT | DEEP BRUSHED  
EXTRA MATT LACQUER

\* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check with your Pergo supplier which length is currently available.

# SVALBARD MATCHING ACCESSORIES



**PARQUET SKIRTING**

**WATER RESISTANT  
PARQUET SKIRTING**

**5-IN-1 INCIZO® PROFILE\***

**COLOURED SEALANT**

**ART. NO  
DIMENSIONS**

PGWPPSKR(-)  
2400 × 16 × 80 mm

PGWPPSKR(-)MM  
2400 × 16 × 80 mm

PGWINCP(-)  
2150 × 54 × 17 mm

PGKIT(-)B  
310 ml

W12xx-03792-3

01341

01341

PGKIT09B

W12xx-03793-3

01742

01742

PGKIT18B

W12xx-03794-3

03794

03794

PGKIT02B

W12xx-05117-3

05102

05102

PGKIT02B

W12xx-05121-3

01341

01341

PGKIT04B

W12xx-05122-3

05122

05122

PGKIT18B

W12xx-05123-3

01625

01625

PGKIT14B

W12xx-05124-3

03096

03096

PGKIT14B

\* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.







The Incizo® subprofile is required for stair application and has to be ordered separately.

# LANGELAND

2,5 MM SURFACE | 4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
● 2400 mm*	260 mm	13,5 mm	4	2,496 m <sup>2</sup>	44	109,820 m <sup>2</sup>
● 2200 mm*	260 mm	13,5 mm	4	2,288 m <sup>2</sup>	44	100,670 m <sup>2</sup>

					
<p><b>NORDIC POLAR OAK</b></p> <p>● W4049-03562</p> <p>● W4069-03562</p> <p>LIVELY   DEEP BRUSHED EXTRA MATT LACQUER</p>	<p><b>RESIDENCE OAK</b></p> <p>● W4049-03566</p> <p>● W4069-03566</p> <p>LIVELY   DEEP BRUSHED EXTRA MATT LACQUER</p>	<p><b>SEAFIELD OAK</b></p> <p>● W4049-03787</p> <p>● W4069-03787</p> <p>LIVELY   BRUSHED EXTRA MATT LACQUER</p>	<p><b>CHATEAU OAK</b></p> <p>● W4049-03789</p> <p>● W4069-03789</p> <p>LIVELY   BRUSHED EXTRA MATT LACQUER</p>	<p><b>BROWN CHESTNUT OAK</b></p> <p>● W4049-05116</p> <p>● W4069-05116</p> <p>ACCENT   BRUSHED EXTRA MATT LACQUER</p>	<p><b>CASTLE OAK</b></p> <p>● W4049-05117</p> <p>● W4069-05117</p> <p>ACCENT   BRUSHED EXTRA MATT LACQUER</p>

\* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check which length is currently available.

# LANGELAND MATCHING ACCESSORIES



**PARQUET SKIRTING**



**WATER RESISTANT  
PARQUET SKIRTING**



**5-IN-1 INCIZO® PROFILE\***



**COLOURED SEALANT**

ART. NO DIMENSIONS	PGWPPSKR(-) 2400 × 16 × 80 mm	PGWPPSKR(-)MM 2400 × 16 × 80 mm	PGWINCP(-) 2150 × 54 × 17 mm	PGKIT(-)B 310 ml
W40xx-03562	03562		03562	PGKIT02B
W40xx-03566		01341	01341	PGKIT04B
W40xx-03787		01340	01340	PGKIT18B
W40xx-03789		01334	01334	PGKIT04B
W40xx-05116	05104		05104	PGKIT04B
W40xx-05117		05102	05102	PGKIT02B

\* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.

The Incizo® subprofile is required for stair application and has to be ordered separately.

# SALTHOLM

2,5 MM SURFACE | 4-WAY BEVEL



length	width	thickness	panels / pack	m <sup>2</sup> / pack	pack / pallet	m <sup>2</sup> / pallet
580 mm	145 mm	13,5 mm	12	1,009 m <sup>2</sup>	44	44,400 m <sup>2</sup>




LIGHT HERRINGBONE OAK  
W4167-04856

SELECTED | BRUSHED  
EXTRA MATT LACQUER



NATURAL HERRINGBONE OAK  
W4167-05115

SELECTED | BRUSHED  
EXTRA MATT LACQUER



BROWN HERRINGBONE OAK  
W4167-06427

ACCENT | BRUSHED  
EXTRA MATT LACQUER




VANILLA HERRINGBONE OAK  
W4167-06431

ACCENT | DEEP BRUSHED  
MATT LACQUER

# SALTHOLM MATCHING ACCESSORIES



**PARQUET SKIRTING**



**WATER RESISTANT  
PARQUET SKIRTING**



**5-IN-1 INCIZO® PROFILE**



**COLOURED SEALANT**

**ART. NO  
DIMENSIONS**

PGWPPSKR(-)  
2400 x 16 x 80 mm

PGWPPSKR(-)MM  
2400 x 16 x 80 mm

PGWINCP(-)  
2150 x 54 x 17 mm

PGKIT(-)B  
310 ml

W4167-04856

04856

04856

PGKIT02B

W4167-05115

05115

05115

PGKIT04B

W4167-06427

03096

03096

PGKIT14B

W4167-06431

01341

01341

PGKIT09B



## YOUR FLOOR – FINISHED IN STYLE

Choose from our wide range of accessories to give your interior that perfectly finished look. From seamless transitions to stairs or walls, silent underlays to improve your comfort or a skirting that finishes off the room in style. Details make perfection.

### 1. UNDERLAYS

Make a great floor greater. Underlays increase walking comfort, improve your room's acoustics, avoid creaking noises, support the click system and protect floors from rising moisture and rising damp.

### 2. SKIRTINGS

Finish the look with colour matching skirtings, or complete your interior style with one of the many paintable white skirtings.

### 3. PROFILES







Hide those saw cuts and give your floor room to expand with profiles. Create a smooth transition with the colour matched Incizo® profile.

### ALL YOU NEED TO INSTALL, FINISH AND MAINTAIN YOUR FLOOR

A wood floor is more than the planks you walk on. It's a complete home decor solution. That's why Pergo also offers a full line of accessories. Everything you need for trouble-free installation, finishing and maintenance.

# INSTALLATION







## UNDERLAYS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	<b>FOAM UNDERLAY</b> for wood subfloors  PGUDLFOAM15B 15 m <sup>2</sup> / roll	15800	950	2	1	195	195	950	24
	<b>SMART UNDERLAY</b> for wood subfloors  PGUDLSMART15 15 m <sup>2</sup> / pack	15000	1000	3	1	1000	250	180	18
	<b>FOAM+ UNDERLAY</b> for concrete subfloors  PGUDLFOAMPLUS15 15 m <sup>2</sup> / roll	15960	940	2	1	210	210	940	20
	<b>SMART+ UNDERLAY</b> for concrete subfloors  PGUDLSMARTPLUS15 15 m <sup>2</sup> / pack	15000	1000	3	1	1000	250	180	18
	 <b>SILENT WALK UNDERLAY</b> for wood & concrete subfloors  PGUDLSW7 7 m <sup>2</sup> / roll	7000	1000	2	1	190	190	1000	40

\* Cradle to Cradle Certified® products are awarded certification based upon their performance across five critical areas of sustainability: Material health, Product Circularity, Clean Air & Climate Protection, Water & Soil Stewardship and Social Fairness.

# INSTALLATION

## UNDERLAYS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>PE FILM</b> PGUDLSCREEN34 33,75 m<sup>2</sup> / roll</p>	12500	2700	0,2	1	150	250	2700	60
 <p><b>QUICKHEAT FOIL</b> NEUDLQH60X300 60 × 300 cm</p>	3000	600	0,35	1	645	125	125	180
 <p><b>QUICKHEAT FOIL</b> NEUDLQH60X500 60 × 500 cm</p>	5000	600	0,35	1	645	125	125	180
 <p><b>QUICKHEAT FOIL</b> NEUDLQH60X700 60 × 700 cm</p>	7000	600	0,35	1	645	125	125	180
 <p><b>QUICKHEAT FOIL</b> NEUDLQH100X300 100 × 300 cm</p>	3000	1000	0,35	1	1040	125	125	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH100X500 100 × 500 cm</p>	5000	1000	0,35	1	1040	125	125	114

UNDERLAYS

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>QUICKHEAT FOIL</b> NEUDLQH100X700 100 × 700 cm</p>	7000	1000	0,35	1	1040	125	125	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH120X300 120 × 300 cm</p>	3000	1200	0,35	1	1240	130	130	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH120X500 120 × 500 cm</p>	5000	1200	0,35	1	1240	130	130	114
 <p><b>QUICKHEAT FOIL</b> NEUDLQH120X700 120 × 700 cm</p>	7000	1200	0,35	1	1240	130	130	114
 <p><b>QUICKHEAT INSULATION PLATES</b> NEUDLQHPLATE 120 × 50 cm 1 pc: 10 plates</p>	1200	500	7	1	1200	500	70	30

# INSTALLATION

## UNDERLAYS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
<b>QUICKHEAT CONTROLLER KIT WIRELESS</b>  NEQHKITWIFI	120	100	35	1	165	55	190	40
<b>QUICKHEAT EXTENSION CABLE</b>  NEQHEXTCAB100 1 m	1000	170	15	1	315	190	20	75
NEQHEXTCAB300 3 m	3000	170	15	1	315	190	20	75

## COMMERCIAL UNDERLAYS

The best underlay for eliminating impact sound.  
Vapour barrier with an overlap and tape strip included.



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
<b>PROFESSIONAL SOUNDBLOC</b>  PGUDLPS15 15 m <sup>2</sup> / roll	15790	950	2	1	240	240	940	20
PGUDLPS50 50 m <sup>2</sup> / roll	52640	940	2	1	420	420	940	6

## INSTALLATION TOOLS







	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
<b>PARQUET GLUE 16 KG</b>  PGWGLUE16A	475	275	100	1	475	275	100	48





<b>PARQUET GLUE TROWEL</b>  PGWB11	180	155	15	6	210	170	55	504
--	-----	-----	----	---	-----	-----	----	-----

## INSTALLATION TOOLS







	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>ADHESIVE TAPE</b> NETAPE50</p>	5000	50	0,5	96	310	290	290	960
 <p><b>INSTALLATION SET</b> PGTOOL</p>	285	80	70	10	300	370	170	320
 <p><b>SPACERS</b> PGSPACER 1 pc: 48 spacers</p>	190	85	50	28	300	370	170	896
 <p><b>SAFESEAL</b> PGSEAL500 50 ml</p>	240	65	65	6	195	130	245	1080

## COMMERCIAL INSTALLATION TOOLS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>PROFESSIONAL PULLBAR</b> PGWPULLBAR Professional and silent pullbar thanks to the rubber shock absorber on the contact surface.</p>	700	280	230	1	575	375	140	120
 <p><b>PROFESSIONAL TAPPING BLOCK</b> PGWTAPPINGBLOCK Professional tapping block that distributes the tapping force equally to protect your plank.</p>	520	110	62	10	200	200	60	480

# FINISHING

## SKIRTINGS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p><b>WATER RESISTANT PARQUET SKIRTING</b> PGWPPSKR(-)MM 2400 × 16 × 80 mm</p>	2400	16	80	6	2400	82	95	360
 <p><b>COLOUR MATCHED PARQUET SKIRTING</b> PGWPPSKR(-) 2400 × 16 × 80 mm</p>	2400	16	80	6	2400	82	95	360
 <p><b>PAINTABLE PARQUET SKIRTING</b> PGWPPSKRPAINTA 2400 × 16 × 80 mm</p>	2400	16	80	6	2410	102	82	360
 <p><b>PAINTABLE SCOTIA</b> PGSCOTPAINTA 2400 × 17 × 17 mm</p>	2400	17	17	6	2440	54	54	894
 <p><b>PAINTABLE COVER SKIRTING</b> PGISKRCOVER 2400 × 129 × 16 mm</p>	2400	129	16	6	2410	146	48	264
 <p><b>PAINTABLE WATERPROOF LARGE SKIRTING</b> PGHSK80PAINT 2400 × 15 × 80 mm</p>	2400	15	80	6	2400	80	90	420

INSTALLATION TOOLS  
FOR SKIRTINGS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
<b>MULTIGLUE</b> PGGLUE290 290 ml	50	50	230	12	213	160	240	1200

PROFILES



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
<b>INCIZO® PROFILE</b> PGWINCP(-) 2150 x 54 x 17 mm	2150	54	17	1	2250	69	27	266



<b>INCIZO® ALUMINIUM SUBPROFILE FOR STAIRS</b> NEWINCPBASE5 2150 x 70 x 18,5 mm	2150	70	18,5	1	2150	75	25	234
---	------	----	------	---	------	----	----	-----



<b>STAIR PROFILE SILVER</b> PGSTPSILVME250 2500 x 30 x 25 mm	2500	30	25	5	2720	80	80	300
--	------	----	----	---	------	----	----	-----

# FINISHING

## FINISHING TOOLS



### COLOURED SEALANT

PGKIT(-)B  
310 ml

length  
mm

#### PIECE

width  
mm

height  
mm

#### PACK

pc /  
pack

length  
mm

width  
mm

height  
mm

#### PALLET

pc /  
pallet

50

50

230

12

213

160

240

1200



### PIPE COVERS 18 MM

PGPCINOX18  
1 pc: 2 pipe covers

75

20

140

15

240

165

130

510



### PIPE COVERS 22 MM

PGPCINOX22  
1 pc: 2 pipe covers

75

20

140

15

240

165

130

510

## TOOLS FOR A WATERTIGHT FINISH



### FOAMSTRIP

NEFOAMSTRIP20  
20 x 1 m x Ø 10 mm

300

310

75

1

300

310

75

125



### AQUA SEALANT

PGKITTRANSP  
310 ml

50

50

230

12





213

160

240

1200

# MAINTENANCE

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	<b>FLOOR CLEANER 1 L</b> PGCLEANECO1000	90	76	270	6	280	165	290	342
	<b>SPOT CLEANER 250 ML</b> PGSPOTCLEAN	50	50	200	20	260	210	210	1120
	<b>CLEANING KIT</b> PGCLEANINGKIT	770	200	55	6	790	165	250	144
	<b>REPAIR KIT</b> PGREPAIR	290	125	28	12	370	250	150	648



# PERGO®

Floors for real life

a brand of  UNILIN

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. With reservation for errors. Contents © 2023 - 2024 by Unilin bv - division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. For consumer questions and retailers visit [pergo.com](http://pergo.com).

Pergo is a quality product produced by UNILIN BV, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium